

Provided by the author(s) and University of Galway in accordance with publisher policies. Please cite the published version when available.

Title	Exposure to occupational violence and abuse in Taxi Drivers
Author(s)	Dromgoole, Noelle; Hodgins, Margaret
Publication Date	2011
Publication Information	Noelle Dromgole and Margaret Hodgins (2011) 'Exposure to occupational violence and abuse in Taxi Drivers'. National Institute of Health Sciences.
Link to publisher's version	http://www.hse.ie/eng/staff/Leadership_Education_Developme nt/National_Institute_of_Health_Sciences/Research_Bulletin/
Item record	http://hdl.handle.net/10379/2990

Downloaded 2024-03-13T07:32:41Z

Some rights reserved. For more information, please see the item record link above.



TITLE

Exposure to occupational violence and abuse in Taxi Drivers

AUTHORS

Dromgoole, N., 1 and Hodgins, M. 2

WORK LOCATION

- 1. College of Engineering, College of Engineering and Informatics,
- 2. College of Medicine, Nursing and Health Sciences, (Health Promotion), National University of Ireland, Galway

INTRODUCTION

While physical violence has been recognised as a health risk for workers some time, the existence and health impact of psychological violence is emerging as a priority concern in the workplace. Although rates of non-fatal injury have fallen in Ireland in recent years, incidents triggered by violence and aggression featured more prominently in 2009, accounting for 3% of incidents, compared to less than 1% in previous years (HSA, 2010). Stress, compromised psychological well-being and post-traumatic stress have been reported as negative outcomes of violence in work, although research evidence on the topic is limited.

This study aimed to explore prevalence of types of violence experienced by taxi drivers and to measure perceived impact on health and help seeking behaviour. Taxi drivers are an understudied occupational group, although their work is characterised by several situational risk factors for violence; working alone, working at night, with the public, carrying cash, and high customer service orientation. While occupational violence experience has been explored elsewhere (e.g. Australia, UK, US) virtually no research has been carried out in Ireland.

METHODOLOGY

Convenience non-probability sampling was employed. Taxi drivers were approached on Dublin city centre ranks and requested to complete a survey instrument, devised based on a review of relevant literature. Of 283 approached, 250 complied.

RESULTS

Respondents were almost exclusively male (93%) and Irish (84%). High levels of violence and abuse were reported, with 'verbal abuse' the most common type of negative behaviour encountered (84%), followed by 'threatening behaviour' (46%), 'damage to vehicle (34%) and 'theft/robbery' (32%). Drunkeness and substance abuse were the most commonly attributed causes of violence and abuse. Although 23% of threats and 19% of robbery involved a weapon (eg knives, broken bottles, work tools), virtually no encounter of any kind led drivers to seek medical attention. Approximately one third did perceive incidents to have a negative impact of health, most particularly for robbery (41%). Stress and anxiety were the most common symptoms, and verbal abuse most likely to results in symptoms. There was tendency to minimise the problem, and accept it as part of the job, but also evidence in drivers of not knowing where or how to get help. While half of sample would like personal security training, 81% had not undertaken this.

CONCLUSIONS

- Dublin-based taxi-drivers are at high risk for violence and aggression in their work, especially verbal abuse, consistent with studies in Australia and UK
- Although there are clearly negative health impacts, help-seeking behaviour
 was extremely low and there were high levels of resignation and acceptance of
 risk and threat within the group
- As a predominantly self-employed group, occupational health and safety structures at regional and national levels have a role to play in providing personal safety training
- Further research should explore the intersection between masculinity and health seeking behaviour and the specific occupational health issues for this group