



Provided by the author(s) and University of Galway in accordance with publisher policies. Please cite the published version when available.

Title	A random effects continuation-ratio model for replicated toxicological data
Author(s)	Martinez, Marie-Jose; Hinde, John
Publication Date	2011
Publication Information	Marie-Jose Martinez and John Hinde (2011) A random effects continuation-ratio model for replicated toxicological data ISI 2011
Item record	http://hdl.handle.net/10379/3125

Downloaded 2023-03-28T15:48:08Z

Some rights reserved. For more information, please see the item record link above.




A random effects continuation-ratio model for replicated toxicological data

Biological control of *Heterotermes tenuis* termites using the fungus *Beauveria bassiana*.

Experiment :

- 142 isolates of the fungus
- 1 solution of each isolate applied to 5 groups of 30 insects
- Cumulative mortality measured during an 8-day period



Objective : Determination of effective isolates for use in the field by taking into account the replicated data structure.

The model : a random effect continuation-ratio model

- Model the number of deaths on a day conditional on the number at risk, i.e. those surviving up to that day
- Can be fitted using methods for binomial logit models merely by a rearrangement of the data
- Variability observed among the replicates \leftrightarrow Introduction of an additive random intercept

Estimation method : an EM-algorithm

- 1 **E-step : Likelihood approximation**
 - \leftrightarrow Two integration methods

{	- Adaptive Gaussian quadrature
	- Ordinary Gaussian quadrature
- 2 **M-step : Maximization step**
 - \leftrightarrow Weighted fitting

Final result

- Isolates grouped into 3 clusters : strongly, intermediate and weakly virulent.