



Provided by the author(s) and NUI Galway in accordance with publisher policies. Please cite the published version when available.

| | |
|-----------------------------|--|
| Title | On thin-clients and the cloud; can smartphones and tablets really reduce electricity consumption? |
| Author(s) | Corcoran, Peter M.; Andrae, Anders |
| Publication Date | 2014 |
| Publication Information | Corcoran, P. M., & Andrae, A. (2014, 10-13 Jan. 2014). On thin-clients and the cloud; can smartphones and tablets really reduce electricity consumption? Paper presented at the 2014 IEEE International Conference on Consumer Electronics (ICCE). |
| Link to publisher's version | http://dx.doi.org/10.1109/ICCE.2014.6775918 |
| Item record | http://hdl.handle.net/10379/5575 |
| DOI | http://dx.doi.org/10.1109/ICCE.2014.6775918 |

Downloaded 2018-11-17T19:57:46Z

Some rights reserved. For more information, please see the item record link above.



On Thin-Clients and the Cloud; Can Smartphones and Tablets Really Reduce Electricity Consumption?

Peter M. Corcoran¹, *Fellow, IEEE*, Anders Andrae

¹National University of Ireland Galway, Ireland; ²Huawei Corp., Sweden
peter.corcoran@nuigalway.ie, anders.andrae@huawei.com

Abstract-- Cloud computing suggests that we can move many computational and data storage services from the desktop onto the network. New thin clients provide an excellent user interface for cloud services and also reduce both manufacturing electricity and lifetime electricity use by an order of magnitude. But do they really reduce overall electricity consumption? In this paper we examine how the total electricity consumption due to consumer computing devices is evolving. We attempt to estimate its growth in terms of global electricity consumption and determine longer term trends due to the rapid growth in thin-clients and the broad adoption of cloud computing.

I. INTRODUCTION

Sales of ICT devices - laptops, home computers, their associated peripherals (networking, storage and display) dominate market share and recent growth in the consumer electronics industry [1]. ICT markets have been driven by the consumer sector for some time now. With recent explosive growth in markets for new ICT devices - smartphones and tablets in particular - and the ongoing transition of the television to a connected network device these 'digital' consumer devices now dominate global sales of consumer electronics. Throughout the remainder of this paper we refer to this broad category of devices as CE-ICT 'appliances'.

Since 2008, several emerging technologies have initiated broad and disruptive impact across the ICT sector: (i) cloud computing promises efficiency of scale both in terms of capital and operational costs [2], [3], [4], [5]; (ii) high-speed wireless networks promise near-ubiquitous network access [6], [7], [8], [9] and (iii) thin-client solutions such as smart-phones and tablet devices provide appropriate, low power user-interfaces to take advantage of this emerging next-generation ICT infrastructure [10]. There are strong improvements in energy efficiency promised both in terms of computational efficiencies [2], [11], [12] and data storage [13], [14], [15].

The main question we seek to answer in this paper is whether this new consumer ICT infrastructure can reduce the overall energy costs of society's new digital lifestyle, or is it catalyzing a substantial rebound effect that could skyrocket ICT-related energy costs over the next decade?

II. LAYOUT

Throughout this article we employ the term *energy usage* as interchangeable with *electricity consumption* - practically all energy utilized by manufacturing industry, communications networks, data centers and CE-ICT devices is taken from the electricity network. It is also useful to estimate the percentage of total global electricity consumption dedicated to CE-ICT devices and the associated infrastructure.

A. Overview of this Work

To reach this answer we start by estimating how much global electricity usage that can be ascribed to CE-ICT. Based on the work of previous researchers [16], [17] we present a methodology where electricity consumption is divided into 4 principle categories - (i) client devices: PCs, laptops, TV and home entertainment systems; (ii) network infrastructure; (iii) data center computation and storage; and lastly, (iv) device manufacturing energy costs. We then evaluate current and projected energy consumption in each of these categories using, where practical, more than one methodological approach. Note that the work presented in this paper is a summary of a more detailed report available online [18].

III. ELECTRICITY CONSUMPTION BASELINE FOR 2012

Detailed information on the installed base of devices in a range of different categories is available from various government & industry sources. It is also possible to apply a detailed usage analysis model such as those developed by [19] to each category of devices.

A. Usage Model for Installed base of CE-ICT

In *Table 1* a summary of results from our model is presented, extrapolating the usage models of [19] to the installed base of global CE-ICT devices. More details in [18].

Table 1: Electricity consumption (TWh/yr) for CE-ICT devices and peripherals 2011-2013; estimates based on methodology of [19].

| Installed Devices (x10 ⁶) | 2011 | 2012 | 2013 | kWh/yr |
|---------------------------------------|------------|------------|------------|--------|
| Desktops | 579 | 588 | 598 | 220 |
| Monitors | 608 | 617 | 628 | 97 |
| Laptops | 729 | 832 | 946 | 80 |
| Smartphones | 700 | 1000 | 1350 | 5 |
| Tablets | 50 | 150 | 250 | 15 |
| TV | 1900 | 2000 | 2100 | 200 |
| TV STB | 722 | 760 | 798 | 100 |
| TV GC | 380 | 400 | 420 | 135 |
| A/V Receiver | 570 | 600 | 630 | 65 |
| DVD/Blueray | 665 | 700 | 735 | 28 |
| TWh/yr | | | | |
| Desktops | 127 | 129 | 132 | |
| Monitors | 59 | 60 | 61 | |
| Laptops | 58 | 67 | 76 | |
| Smartphone | 4 | 5 | 7 | |
| Tablets | 1 | 2 | 4 | |
| TV | 380 | 400 | 420 | |
| TV STB | 72 | 76 | 80 | |
| TV GC | 51 | 54 | 57 | |
| A/V Receiver | 37 | 39 | 41 | |
| DVD/Blueray | 19 | 20 | 21 | |
| Total (TWh/yr) | 808 | 852 | 897 | |

There are several adjustments/refinements that are worth noting. Firstly the annual kWhr rating for a typical US TV panel was estimated at 180 kWhr in 2010. Here a 10% higher figure of 200 kWhr has been adopted to reflect two factors: (i)

in emerging economies we expect a higher proportion of older high-power TV sets in the installed base, and (ii) there will be a larger proportion of single-TV households in developing economies and these primary TV sets have higher annual usage than 2nd and 3rd TVs in multi-TV households. A similar logic applies to laptop computers.

Based on these estimates we see that annual consumption for all devices is estimated at 808 TWh/yr in 2011, which fits nicely between the estimates of 778 to 830, TWh/yr determined from the work of prior researchers - see *Table 2* below.

For 2012 a figure of 852 TWh/yr is obtained. This is somewhat lower than prior estimates but can be explained in by changes in the both PC and TV markets. PC sales have stagnated in recent years and have been strongly displaced by laptop sales and more recently tablet computers. Thus there is a shift to lower power client devices in the ICT category although a significant installed base of older PCs and laptops remains in 2012. On the TV side we note that the market has stagnated at c. 250M units per annum [20], [21] in contrast to a 7.5% or higher growth rate predicted by past researchers. Again there is much anecdotal evidence of changing use patterns that lead to more viewing of content by consumers on thin client devices.

B. Electricity Consumption by CE-ICT Devices

It is helpful to compare our three main sources of recent data to see how each predicts the increased consumption of CE-ICT devices. The IEA estimates [22] begin from 2010 and are closely in line with Pickavets estimates [17]. Corcoran is lower which is most likely because that work restricted itself to the major categories of ICT Clients (PC, laptop and other consumer ICT devices) and to TV displays and associated peripherals [16] (*i.e.* Pickavets includes an additional 'other' category that is only partly covered by Corcoran's estimates).

Nevertheless we see a close convergence in 2011 and 2012 from all three of these researchers and this supports our model described in section 4.1.2 above.

Table 2: Electricity consumption (TWh/yr) for all primary CE-ICT devices and peripherals (2008-2012) from previous researchers, compared with the individual device model of this work.

| | 2008 | 2009 | 2010 | 2011 | 2012 |
|-----------------------|------|------|------|------|------------------|
| IEA [22] | | | 776 | 824 | 873 |
| Pickavet, et al. [17] | 648 | 703 | 762 | 826 | 895 |
| Corcoran [16] | 613 | 625 | 645 | 824 | 870 ¹ |
| This Work | | | | 808 | 852 |

The main goal of this section is to obtain a consensus estimate for the electricity consumption of devices in 2012. Given the improvements in energy efficiencies for TV sets and, to a lesser extent, for PC and laptop clients it seems reasonable to use the 852 TWh/year estimate from our model as a basis for predicting the future trends in electricity by CE-ICT devices in section 5.

¹ The estimate in [16] assumed growth in TV sales driven by adoption of 3D technologies and the introduction of Smart-TV; this figure is modified to reflect the actual market condition of 2012.

C. Manufacturing Electricity

Several sources present annual numbers of shipped devices that can be used for 2008-2012 [20], [21], [23], [24], [25] [26], [27], [28]. The present set top box and game console shipments can be regarded as low estimates [29], [30]. Monitor sales follow the desktops shipments [30]. These are used to calculate manufacturing electricity and the growth of installed base, using replacement rate data where available. More details can be found in [18].

Table 3: Manufacturing Electricity (TWh/yr) by Device Category

| | 2008 | 2009 | 2010 | 2011 | 2012 |
|-----------------------|------|------|------|------|------|
| Desktops | 27 | 26 | 25 | 24 | 23 |
| Monitors | 42 | 40 | 39 | 38 | 37 |
| Laptops | 19 | 22 | 24 | 25 | 27 |
| Smartphones | 5 | 6 | 13 | 16 | 23 |
| Tablets | 0,04 | 0,07 | 4 | 8 | 11 |
| TV | 96 | 93 | 91 | 87 | 84 |
| TV STB | 4 | 4 | 4 | 4 | 4 |
| TV GC | 7 | 7 | 7 | 7 | 6 |
| A/V Receiver | 7 | 7 | 7 | 7 | 6 |
| DVD/Blu-ray | 17 | 16 | 16 | 15 | 15 |
| Networks equipment | | | | | 51 |
| Data center equipment | | | | | 40 |
| Total | 277 | 309 | 322 | 327 | 327 |

D. Electricity Consumption by Networks

Table 4 shows a comparison of the total electricity consumption of global networks from a number of previous researchers. Note that the network growth figures for Corcoran [16] have been adjusted to take account of the delayed deployment of LTE networks and significant changes in user behaviors such as data offloading via Wifi. After this adjustment we can see that all researchers have broadly convergent estimates leading to a consensus figure of the order of 350 TWh/yr for 2012.

Table 4: Electricity consumption (TWh/yr) for data comms networks (2008-2012) from previous researchers.

| Citation | Devices | 2008 | 2009 | 2010 | 2011 | 2012 |
|-----------------------|--|------|-------|-------|------------------|------------------|
| Pickavet, et al. [17] | Datacom & Teleco Networks; excludes Data Center networks | 219 | 245.3 | 274.7 | 307.7 | 344.6 |
| Corcoran [16] | Datacom & Teleco Networks; excludes Data Center networks | 219 | 251.9 | 276 | 318 ² | 365 ² |
| Lambert, et al. [31] | All networks - based on subscriber numbers | | 240 | 265 | 320 | 354 |
| Kilper, et al. [32] | Mobile Network | | | | | 812 |

Note that the figure provided for Kilper, et al. [32] is derived from table 5 of Lambert, et al. [31] and illustrates the potential effects of LTE access networks if these were introduced across the entire communications infrastructure.

E. Baseline Estimates - Data Centers

The work of Pickavet et al [17] and that of Corcoran [16] were based on the original estimates of Koomey [33], [34] and

² The estimate in [16] assumed significant LTE deployments in 2011; major roll-outs were rescheduled by most ISPs to a 2013/14 timeframe; estimates in *Table 4* take account of this change.

as a consequence they significantly overestimate the actual power consumption of data centers. This is illustrated in *Table 5* where Koomey's original work [33], [34] and his later revisions [35] are included.

As Koomey has only provided an estimate for 2010 an estimate of consumption for 2011 and 2012 is extrapolated to provide a reference baseline value for 2012. An annual growth rate of 12% is used in line with the growth rates identified by Pickavet, et al. [17]. Koomey [35] has indicated a lower rate of growth from 2005-2010 of 8%. However there was a significant jump in global electricity consumption of 6.5% in 2010 following a 1.8% decline in 2009 [36]. Given this and other economic factors it seems reasonable to revert to a 12% growth rate for data centers for 2011 and 2012 [18].

Table 5: Electricity use (TWh/yr) of data centers from previous researchers.

| Citation | Devices | 2005 | 2008 | 2009 | 2010 | 2011 | 2012 |
|-----------------------|----------------------|-------|----------------------|-------|-------|----------------------|----------------------|
| Pickavet, et al. [17] | Severs & Data Center | | 254.0 ⁽¹⁾ | 284.5 | 318.7 | 356.9 | 399.7 |
| Corcoran [16] | Severs & Data Center | | 254.0 ⁽¹⁾ | 285.6 | 343.0 | 411.5 | 514.4 |
| Koomey [33], [34] | Severs & Data Center | 152.5 | 268.7 | | | | |
| Koomey [35] | Severs & Data Center | | | | 237.4 | 265.9 ⁽²⁾ | 297.8 ⁽²⁾ |

Notes to table 5: (1) [16] and [17] show lower estimates for 2008 than Koomey because network energy (c. 6%) within the data center is not included; (2) These are extrapolated from Koomey's revised 2010 estimate at an annual growth rate of 12%; these values include c. 6% network energy.

F. Baseline Estimates - All Categories

For direct consumption by devices we have compared the estimates of previous researchers and matched this with our own model - *Section III-A*. The value from our model is lower than some of these estimates, but given recent global economic conditions this makes sense. The contribution of networks requires some adjustment of the projections of [16] to correct for delays in the roll-out of LTE/G4 networks.

Table 6: Best Estimate Values for 2012 in each category.

| 2012 Baseline | |
|---------------------|---------------------|
| Device Consumption | 852 TWh/yr |
| Manufacturing (LCA) | 330 TWh/yr |
| Networks | 352 TWh/yr |
| Data Centers | 281 TWh/yr |
| Total | 1,815 TWh/yr |

After this we find the estimates of network energy usage are within 20 TWh/yr of each other and the recent work of Lambert et al [31] offers a median estimate. We remark that the core network component of datacenters is included in this estimate and thus energy consumption in datacenters must be reduced accordingly - by approximately 6%.

Given the relatively close agreement between estimates for network consumption we do not provide an alternative model. However future estimates of network contribution are problematic for a number of reasons, not least the projected growth in mobile data [37] and the equivalent growth in electricity consumption by wireless access networks [38].

IV. FUTURE PROJECTIONS?

In [18] the 2012 baseline is matched with market predictions for new client devices, network infrastructures and growth in mobile data to extrapolate values over the next 5 years for each of the four main contributing components of electricity consumption - (i) direct consumption; (ii) manufacturing consumption; (iii) network consumption; (iv) data center consumption. In this short paper we only have space to briefly summarize the findings.

A. Growth Scenarios for the next 5 years

The percentage of total global electricity attributable to CE-ICT is shown in *Table 7* - a 3% annual growth is assumed for total electricity consumption, a figure that has been adopted by other authors [31]. The baseline is 23,192 TWh/yr in 2010, the most recent figure available [39]. Three growth scenarios are explored with details for each given in [18]. In the *best case* scenario the consumption of electricity by CE-ICT declines as a proportion of global electricity consumption from 7.4% in 2012 to 6.9% in 2017. For the *expected growth* scenario the increase is to 8.9%, a significant rise but not unexpected given the many disruptive technologies at work in the CE-ICT sector. Note however that global electricity consumption exhibited a jump of 6.5% between 2009 and 2010 [39] so an overall growth rate of 3% may be conservative.

Table 7: Projections of the combined %age of total global electricity consumption in (TWh/yr); based on the best/expected/worst case scenarios as outlined throughout section 5.

| TWh/yr | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 |
|--------------|--------|--------|--------|--------|--------|--------|
| Global Total | 24,604 | 25,343 | 26,103 | 26,886 | 27,692 | 28,523 |
| Best Case | 7.4% | 7.2% | 7.1% | 7.0% | 7.0% | 6.9% |
| Expected | 7.4% | 7.6% | 7.9% | 8.2% | 8.5% | 8.9% |
| Worst Case | 7.4% | 8.1% | 8.9% | 9.8% | 10.8% | 12.0% |

The *worst-case* scenario is an outlier, but plausible. Demand for PCs & TV panels is revitalized by the demands of emerging economies and the new middle classes of Brazil, India, Russia and China. LTE/G4 networks create new demands for network services and deploy broadband to large urban population centers in Africa and Asia. In *Figure 1* we show all three scenarios and the comparative growth in electricity consumption from CE-ICT.




Figure 1: Percentage of global electricity consumption due to CE-ICT for best/expected/worst case scenarios.

V. CONCLUSIONS

And so we return to our question - can thin clients help reduce electricity consumption? Well *Figure 1* does seem to suggest that if we manage the emerging support infrastructure property, yes they can. There will be many challenges, both technical and in terms of political and economic policy, but our best-case scenario shows that a significant reduction of 0.5% is indeed feasible.

REFERENCES

- [1] G. Shapiro, "America's Comeback Starts with American Innovators [Soapbox]," *IEEE Consumer Electronics Magazine*, vol. 1, no. 1, pp. 19–24, Jan. 2012.
- [2] H. Mouftah and B. Kantarci, "Energy-efficient cloud computing—A green migration of traditional IT," in *Handbook of Green Communications*, 2012, pp. 295–329.
- [3] S. Srikantaiah, A. Kansal, and F. Zhao, "Energy aware consolidation for cloud computing," in *Proc USENIX workshop on power aware computing and systems in conjunction with OSDI*, 2008, pp. 1–5.
- [4] A. Berl, E. Gelenbe, and M. Di Girolamo, "Energy-efficient cloud computing," *The Computer Journal*, vol. 53, no. 7, pp. 1045–1051, 2010.
- [5] A. Greenberg and J. Hamilton, "The cost of a cloud: research problems in data center networks," *ACM SIGCOMM Computer Communication Review*, vol. 39, no. 1, pp. 68–73, 2008.
- [6] D. McQueen, "The momentum behind LTE adoption [sGPP LTE]," *IEEE Communications Magazine*, vol. 47, no. 2, pp. 44–45, Feb. 2009.
- [7] M. A. Marsan and M. Meo, "Energy efficient wireless Internet access with cooperative cellular networks," *Computer Networks*, vol. 55, no. 2, pp. 386–398, 2011.
- [8] P. M. Corcoran and J. Desbonnet, "Wireless home network infrastructure for wearable appliances," in *2002 Digest of Technical Papers. International Conference on Consumer Electronics*, 2002, pp. 104–105.
- [9] P. M. Corcoran, J. Desbonnet, P. Bigioi, and I. Lupu, "Home network infrastructure for handheld/wearable appliances," *Consumer Electronics, IEEE Transactions on*, vol. 48, no. 3, pp. 490–495, 2002.
- [10] D. Maga, M. Hiebel, and C. Knermann, "Comparison of two ICT solutions: desktop PC versus thin client computing," *The International Journal of Life Cycle Assessment*, pp. 1–11, 2012.
- [11] P. Kudtarkar, T. DeLuca, V. Fusaro, P. Tonellato, and D. Wall, "Cost-effective cloud computing: a case study using the comparative genomics tool, roundup," *Evolutionary Bioinformatics Online*, vol. 6, p. 197, 2010.
- [12] M. Mihalescu and Y. Teo, "Dynamic resource pricing on federated clouds," in *Cluster, Cloud and Grid Computing (CCGrid), 2010 10th IEEE/ACM International Conference on*, 2010.
- [13] R. Buyya, A. Beloglazov, and J. Abawajy, "Energy-efficient management of data center resources for cloud computing: A vision, architectural elements, and open challenges," *arXiv preprint*, 2010. [Online]. Available: <http://arxiv.org/abs/1006.0308>. [Accessed: 22-May-2013].
- [14] A. Beloglazov and R. Buyya, "Energy efficient resource management in virtualized cloud data centers," in *Proceedings of the 2010 10th IEEE/ACM International Conference on Cluster, Cloud and Grid Computing*, 2010, pp. 826–831.
- [15] J. Baliga and R. Ayre, "Green cloud computing: Balancing energy in processing, storage, and transport," *Proceedings of the IEEE*, vol. 99, no. 1, pp. 149–167, 2011.
- [16] P. M. Corcoran, "Cloud Computing and Consumer Electronics: A Perfect Match or a Hidden Storm?," *IEEE Consumer Electronics Magazine*, vol. 1, no. 2, pp. 14–19, Apr. 2012.
- [17] M. Pickavet, W. Vereecken, S. Demeeyer, P. Audenaert, B. Vermeulen, C. Develder, D. Colle, B. Dhoedt, and P. Demeester, "Worldwide energy needs for ICT: The rise of power-aware networking," in *2008 2nd International Symposium on Advanced Networks and Telecommunication Systems*, 2008, pp. 1–3.
- [18] A. Andrae and P. M. Corcoran, "Emerging Trends in Electricity Consumption for Consumer ICT." 30-Jul-2013.
- [19] B. Urban, V. Tiefenbeck, and K. Roth, "Energy consumption of consumer electronics in US homes in 2010," 2011.
- [20] Displaysearch.com, "Global TV Demand Expected to be Flat in 2013, According to NPD DisplaySearch - DisplaySearch." [Online]. Available: http://www.displaysearch.com/cps/rde/xchg/displaysearch/hs.xsl/121023_global_tv_demand_expected_to_be_flat_in_2013.asp. [Accessed: 28-Apr-2013].
- [21] Displaysearch.com, "Global LCD TV shipments fall for the first time in 2012; outlook cautious for 2013, says DisplaySearch," *Web*, 2013. [Online]. Available: http://www.displaysearch.com/cps/rde/xchg/displaysearch/hs.xsl/130321_global_lcd_tv_shipments_fall_for_the_first_time_in_2012.asp. [Accessed: 11-May-2013].
- [22] "IEA - Publication:- Gadgets and Gigawatts: Policies for Energy Efficient Electronics." [Online]. Available: <http://www.iea.org/publications/freepublications/publication/name,3807,en.html>. [Accessed: 28-Apr-2013].
- [23] "Gartner Says Worldwide Mobile Phone Sales Declined 1.7 Percent in 2012," *Gartner Newsroom*. [Online]. Available: <http://www.gartner.com/newsroom/id/2335616>. [Accessed: 11-Jun-2013].
- [24] "Gartner Says Worldwide Server Shipments Declined 0.2 Percent; Revenue Increased 5.1 Percent in Fourth Quarter of 2012." [Online]. Available: <http://www.gartner.com/newsroom/id/2351518>. [Accessed: 21-Jun-2013].
- [25] "PR Web. Blu-ray Players to Reach 105 Million Units Shipped in 2015, Says In-Stat," 2013. [Online]. Available: http://www.prweb.com/releases/in-stat_npd_group/blu-ray_players/prweb8824799.htm. [Accessed: 18-Jun-2013].
- [26] "IDC worldwide quarterly PC tracker," 2013. [Online]. Available: http://www.idc.com/tracker/showproductinfo.jsp?prod_id=1. [Accessed: 29-May-2013].
- [27] IDC, "Smartphones Expected to Outship Feature Phones for First Time in 2013," *prUS23982813*, 2013. [Online]. Available: <http://www.idc.com/getdoc.jsp?containerId=prUS23982813>. [Accessed: 07-May-2013].
- [28] A. S. G. Andrae and O. Andersen, "Life cycle assessments of consumer electronics — are they consistent?," *The International Journal of Life Cycle Assessment*, vol. 15, no. 8, pp. 827–836, Jul. 2010.
- [29] "Connected World: Global set top box shipments to reach 228 million units in 2012," 2012. [Online]. Available: <http://www.connectedworld.tv/articles/global-set-top-box-shipments-to-reach-228-million-units-in-2012/7617/>. [Accessed: 18-Jun-2013].
- [30] IDC, "IDC Anticipates a Video Game Console Rebound As New Platforms Arrive." [Online]. Available: <http://www.idc.com/getdoc.jsp?containerId=prUS23901313>. [Accessed: 18-Jun-2013].
- [31] S. Lambert and W. Van Heddeghem, "Worldwide electricity consumption of communication networks," *Optics Express*, vol. 20, no. 26, pp. B513–B524, 2012.
- [32] D. C. Kilper, G. Atkinson, S. K. Korotky, S. Goyal, P. Vetter, D. Suvakovic, and O. Blume, "Power Trends in Communication Networks," *IEEE Journal of Selected Topics in Quantum Electronics*, vol. 17, no. 2, pp. 275–284, Mar. 2011.
- [33] J. Koomey, "Estimating total power consumption by servers in the US and the world," 2007. [Online]. Available: http://hightech.lbl.gov/documents/DATA_CENTERS/svrprwusecompletfinal.pdf. [Accessed: 27-Apr-2013].
- [34] J. Koomey, "Worldwide electricity used in data centers," *Environmental Research Letters*, vol. 3, no. 3:034008, pp. 1–8, 2008.
- [35] J. Koomey, "Growth in data center electricity use 2005 to 2010," *Oakland, CA: Analytics Press*, 2011.
- [36] "Electricity in a Climate-Constrained World - Books - OECD iLibrary." [Online]. Available: http://www.oecd-ilibrary.org/energy/climate-and-electricity-annual-2012_9789264175556-en. [Accessed: 28-Apr-2013].
- [37] "Cisco Visual Networking Index: Global Mobile Data Traffic Forecast Update, 2012–2017 [Visual Networking Index (VNI)]." [Online]. Available: http://www.cisco.com/en/US/solutions/collateral/ns341/ns525/ns537/ns705/ns827/white_paper_c11-520862.html. [Accessed: 28-Apr-2013].
- [38] "CEET Whitepaper: The Power of Wireless Cloud." [Online]. Available: http://www.ceet.unimelb.edu.au/pdfs/ceet_white_paper_wireless_cloud.pdf. [Accessed: 22-May-2013].
- [39] P. Benoit and R. Baron, "Introduction," in *Electricity in a Climate Constrained World- Data and Analysis*, IEA, 2013, pp. 7–11.